

LINE GYM HERO



WORLD **F**ITNESS EQUIPMENT

FWF-2-7012



Product : Pulldown

Product Feature :

Oval Tube: 60*120mm, thickness 3mm, high strength steel oval tube precision welds and internally lubricated cables.

Powder Coating: 2 rounds(silver/black/dark grey/white/red + varnish)

Pully: Aluminum

Cable: 6mm?Inner 4.8mm+ Outer 1.2mm)

Cushion colors: brown/black/orange

Standard Configured Weight Stack: 100kg

Material: Steel

Product Data :

Length: 1520mm / Width: 1205mm /

Height: 1900mm /

Machine Weight: 300k

▶ ▶ EXCELLENT QUALITY CONSTRUCT PERFECT BRAND



FWF-2-7013



Product : Pectoral Machine

Product Feature :

Oval Tube:60*120mm, thickness 3mm, high strength

steel oval tube precision welds and internally lubricated cables.

Powder Coating: 2 rounds

(silver/black/dark grey/white/red + varnish)

Pully: Aluminum

Cable: 6mm?Inner 4.8mm+ Outer 1.2mm)

Cushion colors: brown/black/orange

Standard Configured Weight Stack:100kg

Material: Steel

Product Data :

Length: 1080mm / Width: 1420mm /

Height: 1750mm /

Machine Weight: 275kg

FWF- 2-7014



Product : Pulley Machine

Product Feature :

Oval Tube:60*120mm, thickness 3mm,
high strength

steel oval tube precision welds and
internally lubricated cables.

Powder Coating: 2 rounds

(silver/black/dark grey/white/red + varnish)

Pully: Aluminum

Cable: 6mm?Inner 4.8mm+ Outer 1.2mm)

Cushion colors: brown/black/orange

Standard Configured Weight Stack:100kg

Material: Steel

Product Data :

Length: 1790mm / Width: 1260mm /

Height: 1750mm /

Machine Weight: 360kg

▶ ▶ EXCELLENT QUALITY CONSTRUCT PERFECT BRAND



FWF-2-7017



Product : Adductor

Product Feature :

Oval Tube:60*120mm, thickness 3mm,
high strength

steel oval tube precision welds and
internally lubricated cables.

Powder Coating: 2 rounds

(silver/black/dark grey/white/red + varnish)

Pully: Aluminum

Cable: 6mm?Inner 4.8mm+ Outer 1.2mm)

Cushion colors: brown/black/orange

Standard Configured Weight Stack:100kg

Material: Steel

Product Data :

Length: 1090mm / Width: 1465mm /

Height: 1750mm /

Machine Weight: 280kg

FWF-2-7018



Product : Abductor

Product Feature :

Oval Tube:60*120mm, thickness 3mm,
high strength

steel oval tube precision welds and
internally lubricated cables.

Powder Coating: 2 rounds

(silver/black/dark grey/white/red + varnish)

Pully: Aluminum

Cable: 6mm?Inner 4.8mm+ Outer 1.2mm)

Cushion colors: brown/black/orange

Standard Configured Weight Stack:100kg

Material: Steel

Product Data :

Length: 1090mm / Width: 1470mm /

Height: 1750mm /

Machine Weight: 280kg

▶ ▶ EXCELLENT QUALITY CONSTRUCT PERFECT BRAND



FWF- 2-7050



Item No. : WF2-7050

Product : Rotary Torso

Product Feature :

Oval Tube:60*120mm, thickness 3mm,
high strength

steel oval tube precision welds and
internally lubricated cables.

Powder Coating: 2 rounds

(silver/black/dark grey/white/red + varnish)

Pully: Aluminum

Cable: 6mm?Inner 4.8mm+ Outer 1.2mm)

Cushion colors: brown/black/orange

Standard Configured Weight Stack:100kg

Material: Steel

Product Data :

Length: 1050mm / Width: 1170mm /

Height: 1750mm /

Machine Weight: 290kg

FWF-2-7050



Product : Rotary Torso

Product Feature :

Oval Tube:60*120mm, thickness 3mm,
high strength

steel oval tube precision welds and
internally lubricated cables.

Powder Coating: 2 rounds

(silver/black/dark grey/white/red + varnish)

Pully: Aluminum

Cable: 6mm?Inner 4.8mm+ Outer 1.2mm)

Cushion colors: brown/black/orange

Standard Configured Weight Stack:100kg

Material: Steel

Product Data :

Length: 1050mm / Width: 1170mm /

Height: 1750mm /

Machine Weight: 290kg

▶ ▶ EXCELLENT QUALITY CONSTRUCT PERFECT BRAND



FWF-2-7051



Item No. : WF2-7051

Product : Leg Press

Product Feature :

Oval Tube:60*120mm, thickness 3mm,
high strength

steel oval tube precision welds and
internally lubricated cables.

Powder Coating: 2 rounds

(silver/black/dark grey/white/red + varnish)

Pully: Aluminum

Cable: 6mm?Inner 4.8mm+ Outer 1.2mm)

Cushion colors: brown/black/orange

Standard Configured Weight Stack:100kg

Material: Steel

Product Data :

Length: 1860mm / Width: 1050mm /

Height: 1750mm /

Machine Weight: 330kg

FWF-2-7057



Product : Abdominal Crunch

Product Feature :

Oval Tube:60*120mm, thickness 3mm,
high strength

steel oval tube precision welds and
internally lubricated cables.

Powder Coating: 2 rounds

(silver/black/dark grey/white/red + varnish)

Pully: Aluminum

Cable: 6mm?Inner 4.8mm+ Outer 1.2mm)

Cushion colors: brown/black/orange

Standard Configured Weight Stack:100kg

Material: Steel

Product Data :

Length: 1480mm / Width: 1180mm /

Height: 1750mm /

Machine Weight: 330kg

▶ ▶ EXCELLENT QUALITY CONSTRUCT PERFECT BRAND



FWF-2-7058



Product : Low Back

Product Feature :

Oval Tube:60*120mm, thickness 3mm,
high strength

steel oval tube precision welds and
internally lubricated cables.

Powder Coating: 2 rounds

(silver/black/dark grey/white/red + varnish)

Pully: Aluminum

Cable: 6mm?Inner 4.8mm+ Outer 1.2mm)

Cushion colors: brown/black/orange

Standard Configured Weight Stack:100kg

Material: Steel

Product Data :

Length: 1380mm / Width: 1280mm /

Height: 1750mm /

Machine Weight: 280kg

FWF-2-7069



Product : Shoulder Press

Product Feature :

Oval Tube:60*120mm, thickness 3mm,
high strength

steel oval tube precision welds and
internally lubricated cables.

Powder Coating: 2 rounds

(silver/black/dark grey/white/red + varnish)

Pully: Aluminum

Cable: 6mm?Inner 4.8mm+ Outer 1.2mm)

Cushion colors: brown/black/orange

Standard Configured Weight Stack:100kg

Material: Steel

Product Data :

Length: 1570mm / Width: 1450mm /

Height: 1750mm /

Machine Weight: 280kg

EXCELLENT QUALITY CONSTRUCT PERFECT BRAND



FWF-2-7070



Item No. : WF2-7070

Product : Chest Press

Product Feature :

Oval Tube:60*120mm, thickness 3mm,
high strength

steel oval tube precision welds and
internally lubricated cables.

Powder Coating: 2 rounds

(silver/black/dark grey/white/red + varnish)

Pully: Aluminum

Cable: 6mm?Inner 4.8mm+ Outer 1.2mm)

Cushion colors: brown/black/orange

Standard Configured Weight Stack:100kg

Material: Steel

Product Data :

Length: 000mm / Width: 000mm /

Height: 000mm /

Machine Weight: 000kg / Max Load: 300kg

FWF-2-7079



Product : Glute Isolator

Product Feature :

Oval Tube:60*120mm, thickness 3mm,
high strength

steel oval tube precision welds and
internally lubricated cables.

Powder Coating: 2 rounds

(silver/black/dark grey/white/red + varnish)

Pully: Aluminum

Cable: 6mm?Inner 4.8mm+ Outer 1.2mm)

Cushion colors: brown/black/orange

Standard Configured Weight Stack:100kg

Material: Steel

Product Data :

Length: 2030mm / Width: 1040mm /

Height: 1750mm /

Machine Weight: 290kg

▶ ▶ EXCELLENT QUALITY CONSTRUCT PERFECT BRAND



FWF-2-7080



Product : Low Row

Product Feature :

Oval Tube:60*120mm, thickness 3mm,
high strength

steel oval tube precision welds and
internally lubricated cables.

Powder Coating: 2 rounds

(silver/black/dark grey/white/red + varnish)

Pully: Aluminum

Cable: 6mm?Inner 4.8mm+ Outer 1.2mm)

Cushion colors: brown/black/orange

Standard Configured Weight Stack:100kg

Material: Steel

Product Data :

Length: 1380mm / Width: 1050mm /

Height: 1750mm /

Machine Weight: 280kg

FWF-2-7090

Product : Leg Curl

Product Feature :

Oval Tube:60*120mm, thickness 3mm,
high strength

steel oval tube precision welds and
internally lubricated cables.

Powder Coating: 2 rounds

(silver/black/dark grey/white/red + varnish)

Pully: Aluminum

Cable: 6mm?Inner 4.8mm+ Outer 1.2mm)

Cushion colors: brown/black/orange

Standard Configured Weight Stack:100kg

Material: Steel

Product Data :

Length:1380mm / Width: 1230mm /

Height: 1750mm /

Machine Weight: 290kg



▶ ▶ EXCELLENT QUALITY CONSTRUCT PERFECT BRAND



FWF-2-7091

Product : Leg Extension

Product Feature :

Oval Tube:60*120mm, thickness 3mm,
high strength

steel oval tube precision welds and
internally lubricated cables.

Powder Coating: 2 rounds

(silver/black/dark grey/white/red + varnish)

Pully: Aluminum

Cable: 6mm?Inner 4.8mm+ Outer 1.2mm)

Cushion colors: brown/black/orange

Standard Configured Weight Stack:100kg

Material: Steel

Product Data :

Length: 1380mm / Width: 1230mm /

Height: 1750mm /

Machine Weight: 280kg



FWF-2-7094



Product : Assisted Dip/Chin

Product Feature :

Oval Tube:60*120mm, thickness 3mm,
high strength

steel oval tube precision welds and
internally lubricated cables.

Powder Coating: 2 rounds

(silver/black/dark grey/white/red + varnish)

Pully: Aluminum

Cable: 6mm?Inner 4.8mm+ Outer 1.2mm)

Cushion colors: brown/black/orange

Standard Configured Weight Stack:100kg

Material: Steel

Product Data :

Length:1160mm / Width: 1870mm /

Height: 2200mm /

Machine Weight: 380kg

▶ ▶ EXCELLENT QUALITY CONSTRUCT PERFECT BRAND



FWF-2-7095



Product : Seated Arm Clip Chest

Product Feature :

Oval Tube:60*120mm, thickness 3mm,
high strength

steel oval tube precision welds and
internally lubricated cables.

Powder Coating: 2 rounds

(silver/black/dark grey/white/red + varnish)

Pully: Aluminum

Cable: 6mm?Inner 4.8mm+ Outer 1.2mm)

Cushion colors: brown/black/orange

Standard Configured Weight Stack:100kg

Material: Steel

Product Data :

Length: 1820mm / Width: 1190mm /

Height: 2100mm /

Machine Weight: 350kg

FWF-2-7096



Product : Prone Leg Curl

Product Feature :

Oval Tube:60*120mm, thickness 3mm,
high strength

steel oval tube precision welds and
internally lubricated cables.

Powder Coating: 2 rounds

(silver/black/dark grey/white/red + varnish)

Pully: Aluminum

Cable: 6mm?Inner 4.8mm+ Outer 1.2mm)

Cushion colors: brown/black/orange

Standard Configured Weight Stack:100kg

Material: Steel

Product Data :

Length: 1710mm / Width: 1300mm /

Height: 1750mm /

Machine Weight: 280kg

▶ ▶ EXCELLENT QUALITY CONSTRUCT PERFECT BRAND



FWF-2-7097



Product : Standing Calf Machine

Product Feature :

Oval Tube:60*120mm, thickness 3mm,
high strength

steel oval tube precision welds and
internally lubricated cables.

Powder Coating: 2 rounds

(silver/black/dark grey/white/red + varnish)

Pully: Aluminum

Cable: 6mm?Inner 4.8mm+ Outer 1.2mm)

Cushion colors: brown/black/orange

Standard Configured Weight Stack:100kg

Material: Steel

Product Data :

Length: 1120mm / Width: 1070mm /

Height: 1890mm /

Machine Weight: 280kg